



# भारत का राजपत्र The Gazette of India

असाधारण

EXTRAORDINARY

भाग III—खण्ड 4

PART III—Section 4

प्राधिकार से प्रकाशित

PUBLISHED BY AUTHORITY

सं० 5]

No. 5]

नई दिल्ली, बृहस्पतिवार, जनवरी 15, 1998/पौष 25, 1919

NEW DELHI, THURSDAY, JANUARY 15, 1998/PAUSA 25, 1919

महापत्तन प्रशुल्क प्राधिकरण

अधिसूचना

नई दिल्ली, 15 जनवरी, 1998

सं० टी० ए० एम० पी०/1/97-जे० एन० पी० टी०.—महापत्तन न्यास अधिनियम, 1963 (1963 का 38) की धारा 49 द्वारा प्रदत्त शक्तियों का प्रयोग करते हुए महापत्तन प्रशुल्क प्राधिकरण संलग्न आदेश में दिए गए कारणों की वजह से जवाहरलाल नेहरू पत्तन न्यास द्वारा दायर किए गए मामले सं० टी० ए० एम० पी०/1/97-जे० एन० पी० टी० में उठाई गई प्रारम्भिक आपत्तियों को एतद्द्वारा अस्वीकृत करता है।

आदेश

(26 दिसम्बर, 97 को पारित)

यह मामला बंबई कस्टम हाउस एजेंट्स एसोसिएशन से प्राप्त इस अभ्यावेदन से संबंधित है कि जवाहरलाल नेहरू पत्तन न्यास ने केन्द्रीय भांडागार निगम द्वारा प्रचालित किए जाने के लिए एक नए अंतस्थ यार्ड की स्थापना के आदेश दे दिए हैं। उन्होंने नई व्यवस्था के संबंध में इस आधार पर आपत्ति की है कि इससे निर्यातकों के लिए पर्याप्त खर्च बढ़ेगा और नए प्रशुल्क को लागू करने के लिए प्रशुल्क प्राधिकरण की पूर्व अनुमति भी प्राप्त नहीं की गई है।

2. अभ्यावेदन पर प्राधिकरण द्वारा प्राथमिक रूप से विचार किया गया। यह समझा गया कि महापत्तन प्रशुल्क प्राधिकरण के परामर्श के पश्चात् ऐसे मुद्दों को उसे पूर्व अनुमति के लिए भेजने की आशा की जाती है। इस मामले में यह प्रक्रिया अपनाई गई प्रतीत नहीं हुई। इस संबंध में प्राधिकरण ने यह जानना चाहा कि किन परिस्थितियों में जवाहरलाल नेहरू पत्तन न्यास द्वारा ऐसे कार्य किया गया। और अगली कार्यवाही होने तक जवाहरलाल नेहरू पत्तन न्यास को यह निदेश दिया गया कि इस निरस्त आदेश को स्थगित रखे।

3. जवाहरलाल नेहरू पत्तन न्यास ने प्राधिकरण द्वारा पारित स्थगन आदेश का अनुपालन नहीं किया। उत्तर में उसने बताया कि नई आदेशित व्यवस्था से पत्तन के अंदर भीड़ को कम करने के लिए केवल एक नई सुविधा सृजित की गई है, किसी अधिसूचित प्रशुल्क को संशोधित अथवा परिवर्तित नहीं किया गया है, कोई नया प्रशुल्क नहीं जोड़ा गया है, इसलिए महापत्तन प्रशुल्क प्राधिकरण का कार्यक्षेत्र इस मामले में प्रभावी नहीं होगा और तदनुसार महापत्तन प्रशुल्क प्राधिकरण को कोई संदर्भ देना अनावश्यक समझा गया।

अनुबंध

(पृष्ठ 1-14)

## मुंबई पोर्ट ट्रस्ट परीक्षण गृह (संशोधन)

विनियम और प्रभारमान 1997

## अनुसूची

## 1. संक्षिप्त शीर्षक और प्रारंभ

- (i) ये विनियम "मुंबई पोर्ट ट्रस्ट परीक्षण गृह (संशोधन) विनियम और प्रभारमान, 1997 कहलाये जाये,
- (ii) ये संशोधन अधिसूचना जारी होने की तारीख से राजपत्र में प्रकाशित होने की तिथि से लागू होंगे,
2. मुंबई पोर्ट ट्रस्ट परीक्षण-गृह विनियम और प्रभारमान 1982 (इसे आगे प्रधान विनियम कहा जाएगा) में निम्न संशोधन किए जायेंगे :—

## (i) प्रधान विनियम में विनियम 2 के लिए निम्न खंड लिया जाएगा—

( ) खण्ड (ए) के बदले निम्न शामिल किया जाए—

"सक्षम व्यक्ति से तात्पर्य है—मुंबई पोर्ट के न्यासी मंडल द्वारा केन्द्र सरकार की मंजूरी से "गोदी कामगार (सुरक्षा, स्वास्थ्य एवं कल्याण) विनियम 1990 के विनियम 2 (डी) के अंतर्गत नियुक्त व्यक्ति।

(क) खंड (बी) के बदले निम्न खंड लिया जायेगा—

"गोदी कामगार" (संरक्षा, स्वास्थ्य एवं कल्याण) विनियम 1990 से तात्पर्य है गोदी कामगार (संरक्षा, स्वास्थ्य एवं कल्याण) विनियम, 1990 और उसके सभी अनुवर्ति संशोधन,"

(ख) खंड (जी) के बदले निम्न खंड लिया जायेगा—

"(जी) जिन शब्दों एवं अभिव्यक्तियों का यहां प्रयोग किया गया है पर परिभाषा नहीं दी है, तथापि जो महापत्तन न्यास अधिनियम, 1963 अथवा गोदी कामगार (संरक्षा, स्वास्थ्य एवं कल्याण) विनियम 1990 में परिभाषित है, उन शब्दों एवं अभिव्यक्तियों के अर्थ क्रमशः वे ही होंगे जो उन्हें कथित अधिनियम या विनियम में दिये गये हैं।

## (ii) प्रधान विनियमों में विनियम 6(बी) के बदले निम्न विनियम का समावेश किया जाएगा—

(बी) यदि काम पूरा होने की तिथि से दस कार्य दिनों के अंदर सामग्री वहां से हटायी नहीं जाती, तो निविदाकार को सामग्री की प्रत्येक वस्तु के लिए प्रति सप्ताह दस रुपये/0.48 अमरिकी डॉलर या उसके उचित भाग में संग्रहण किराया प्रभारित किया जाएगा, लंगर, लंगर तार, (अँकर, अँकर केबल) या इस तरह की अन्य बड़ी वस्तुओं के लिए प्रति सप्ताह प्रति टनभार बीस रुपये/0.96 अमरिकी डॉलर की दर से प्रभार लगाया जाएगा,

## (iii) प्रधान विनियमों के विनियम 10 के बदले निम्न विनियम का समावेश किया जाय—

"10(ए) सक्षम व्यक्ति द्वारा गोदी कामगार (संरक्षा, स्वास्थ्य एवं कल्याण) विनियम 1990 के तहत निर्धारित प्रोफार्मा में प्रमाणपत्र केवल उठान साधन (लिफ्टिंग गियर) के उन मदों के लिए जारी किया जायेगा, जो परीक्षण में योग्य ठहराये गये हैं, जिस प्रमाणपत्र में किसी भी प्रकार का कोई फेरबदल, सुधार या काट-छांट की गयी है, ऐसा प्रमाणपत्र किसी भी मामले में तब तक वैध नहीं होगा, जब तक कि सभी सुधार सक्षम प्राधिकारी द्वारा उचित प्रकार आस्थाक्षरित नहीं होते।

(बी) प्रमाणपत्र की अनुलिपि या अतिरिक्त प्रतियाँ सक्षम प्राधिकारी को लिखित आवेदन देने पर और प्रति प्रतिलिपि दस रुपये/0.48 अमरिकी डॉलर का भुगतान करने पर दी जायेगी।"

## (iv) प्रधान विनियमों के विनियम 11 के बदले निम्न विनियम का समावेश किया जाय—

"11. जो उठान कॉटा (लिफ्टिंग टैंकल) किसी प्रकार की टूट-फूट/हानि हुए बिना काम न दे पाया हो, या जो गोदी कामगार (संरक्षा, स्वास्थ्य एवं कल्याण) विनियम 1990 के तहत निर्धारित विनिर्देशों के अनुसार नहीं हो, ऐसे किसी भी उठान कॉटे के लिए प्रमाणपत्र प्रदान नहीं किया जाएगा,"

## (v) प्रधान विनियमों के विनियम 16 के बदले निम्न विनियम का समावेश किया जाय—

16. "जिस नयी श्रृंखला या श्रृंखला स्लिंग का पहले परीक्षण नहीं किया गया हो, उसका सुरक्षित कार्य-भार तय करने के लिए निम्न प्रक्रिया अपनायी जायेगी—

श्रृंखला अच्छी तरह नापी जायेगी और मानक विनिर्देशों के अनुसार प्रत्येक भाग या प्रत्येक मात्रा से कम से कम 60 सेंमी. हिस्से को तोड़मोड़ कर उसका परीक्षण किया जाएगा यदि इस नमूने का भंजन-तनाव (ब्रेकिंग स्ट्रेन) मानक श्रृंखला की सबसे पतली कड़ी के वास्तविक नाम के लिए निर्धारित भंजन-तनाव से कम नहीं हो, तो बाकी श्रृंखला पर वास्तविक नाम के योग्य अनुरूप प्रमाण भार (प्रूफ लोड) दिया जाएगा, यदि नमूने का भंजन-तनाव मानक विनिर्देशों में श्रृंखला के प्रत्यक्ष नाम के लिए निर्धारित भंजन-तनाव से कम हो तो

नमूना नामंजूर किया जाएगा, जिस शृंखला में किसी भी एक कड़ी का विधर्षण विजय विभिन्न संगत परीक्षण विनियमों यथा-गोदी कामगार (संरक्षा, स्वास्थ्य एवं कल्याण) विनियम 1990, आय एस आय, एमएमडी, लॉर्ड आदि में विनिर्दिष्ट सीमा से अधिक होगा, ऐसी कोई भी शृंखला परीक्षण के लिए स्वीकार नहीं की जायेगी, ऐसे मामलों में केवल दर्शनी (विष्णुअल) निरीक्षण के लिए प्रभार-अनुसूची में यथा निर्धारित प्रभार लगाये जायेंगे,"

(vi) प्रधान विनियमों में विनियम 17 के स्थान पर निम्न विनियम का समावेश किया जायेगा—

"17. किसी प्रकार के प्रयोगों के कारण या गोदी कामगार (संरक्षा, स्वास्थ्य और कल्याण) विनियम 1998 के प्रावधानों के अंतर्गत जिनका परीक्षण आवश्यक है, ऐसा साज-सामान छोड़कर अन्य सामान के परीक्षण के कारण परीक्षण-गृह के सामान्य कामकाज में बाधा नहीं लायी जायेगी,"

(vii) प्रधान विनियमों के विनियम 19 के स्थान पर निम्न विनियम का समावेश किया जाये—

"19. यदि प्रेषक साज-सामान की जाँच स्वयं अपनी या अपने प्रतिनिधि की ठपस्थिति में करना चाहता है, तो उसे उन विनियमों की प्रभार अनुसूची के अनुसार देय प्रभारों के अतिरिक्त प्रतिबन्ध 300 रु/14.26 अमरिकी डॉलर दर से प्रभारों का भुगतान करना होगा, और कम से कम तीन दिन पहले संपर्क करके इस काम के लिए उसे समय तय करना होगा"

(viii) प्रधान विनियम के विनियम 20 के बाद निम्न विनियम 21 और 22 अतिरिक्त जोड़े जाएं—

"21. शृंखला परीक्षणगृह के 'सक्षम व्यक्ति' को मानदेय प्रत्येक काम के लिये बाहरी पार्टियों से वसूल किये परीक्षण प्रभारों के 2% की दर से अदा किया जायेगा।"

"22. विदेश जाने वाले जहाजों के मास्टर, मालिक, एजेंट या चार्टर के लिए कराये गये काम के मामले में अमरिकी डॉलरों में निर्धारित प्रभार लागू किए जायेंगे,"

(ix) वर्तमान परीक्षण-गृह प्रभारमान विनियमों के साथ दिये गये प्रभार अनुसूचियों के बदले निम्न अनुसूचियों का समावेश किया जाएगा।

परीक्षण गृह

प्रभार अनुसूची

भाग "ए"

शृंखला एवं रस्सी

## (I) शृंखला

(I) परीक्षण के लिए दर अनुसूची-शॉर्ट लिंक ओर स्ट्रक लिंक चेन, वायर रोपस, फायबर रोपस आदि की अधिकतम 30 मीटर या उसका हिस्सा-लम्बाई के टेन्सिल स्ट्रेन एवं स्टैंडिंग के लिए और अन्य सभी ध्वंस परीक्षण के लिए प्रभार निम्न अनुसूची के अनुसार लागू होंगे—

अनु क्र.	ग्रूफ लोड	प्रभार रु.	प्रभार अमरिकी डॉलर में	शृंखला की लम्बाई
1.	10 टन तक	1,300	61.76	प्रति 30 मी या उसका हिस्सा
2.	10 टन से अधिक 20 टन तक	1,750	83.14	"
3.	20 " 30 "	2,200	104.52	"
4.	30 " 40 "	2,650	125.90	"
5.	40 " 50 "	3,150	149.65	"
6.	50 " 60 "	3,650	173.40	"
7.	60 " 70 "	4,150	197.15	"
8.	70 " 80 "	4,650	220.91	"
9.	80 " 90 "	5,150	244.66	"
10.	90 " 100 "	5,650	268.41	"
11.	100 " 110 "	6,250	296.92	"
12.	110 " 120 "	6,850	325.42	"
13.	120 " 130 "	7,450	353.92	"
14.	130 " 140 "	9,950	302.43	"
15.	140 " 150 "	8,650	410.93	"

- (ii) शॉट लिंक और स्टड लिंक चेन के प्रत्येक 30 मीटर में से 3 मीटर के नमूने पर भंजन भार लगाने के प्रभार, लगाये गये वास्तविक भार पर उक्त के अनुसार लागू होंगे,

(II) रस्सी

- (i) वायर रोपण प्रयोगिक परीक्षण,

(ए) न्यूनतम 1 मीटर लम्बाई के वायर रोप पर भंजन भार लगाने के प्रभार उक्त के अनुसार होंगे, अर्थात् भाग (I) शृंखला (i) लगाये गये वास्तविक भार के प्रभार और 3" डायामीटर तक वायर रोप के कैपिंग के लिए 2,000/ 95.02 अमरीकी डॉलर अतिरिक्त प्रभार,

(बी) वायर रोप, वायर रोप स्लिंग आदि के परीक्षण के प्रभार प्रति मीटर 150 रु./7.13 अमरीकी डॉलर होंगे,

- (ii) फायबर रोप्स

न्यूनतम 1 मीटर लम्बाई के फायबर रोप नमूने पर भंजन भार लगाने के प्रभार उक्त के अनुसार होंगे अर्थात् भाग ए (I) शृंखला (i) लगाये गये वास्तविक भार के अनुसार,

टिप्पणी : परीक्षण मशीन साधारणतया सिंथेटिक फायबर रोप आदि की असाधारण लम्बाई की सामग्री के ध्वंस परीक्षण के लिए इस्तेमाल नहीं की जाती तथापि यदि परीक्षण किया जाता है तो उसके प्रभार प्रत्येक परीक्षण के लिए प्रत्येक अवसर पर लगाये गये वास्तविक भार के लिए स्वतंत्र रूप से लागे होंगे,

परीक्षण गृह

प्रभार अनुसूची

भाग "बी"

उठान साधन

- (ए) प्रत्येक शॉकल, हुक रैमशन हुक, रिंग, ट्रैंग्युलर प्लेट ग्रॅब, आयबोस्ट, कपलिंग आदि के परीक्षण एवं स्टैपिंग के लिए प्रभार

अनु क्र.	प्रूफ लोड	प्रभार रु.	प्रभार अमरीकी डॉलर में
1	5 टन तक	125	5.94
2	5 टन से अधिक 10 टन तक	150	7.13
3	10 " 15 "	175	8.32
4	15 " 20 "	200	9.51
5	20 " 25 "	225	10.69
6	25 " 30 "	340	16.16
7	30 " 35 "	455	21.62
8	35 " 40 "	570	27.08
9	40 " 45 "	685	32.55
10	45 " 50 "	800	38.01
11	50 " 60 "	1,180	56.07
12	60 " 70 "	1,560	74.11
13	70 " 80 "	1,940	92.17
14	80 " 90 "	2,320	110.22
15	90 " 100 "	2,700	128.27
16	100 " 105 "	3,145	149.41
17	105 " 110 "	3,590	170.55
18	110 " 115 "	4,035	191.69
19	115 " 120 "	4,480	212.83

1	2	3	4
20 120 „ 125 „		4,925	233.97
21. 125 „ 130 „		5,370	255.11
22 130 „ 135 „		5,815	276.25
23. 135 „ 140 „		6,260	297.39
24. 140 „ 145 „		6,705	318.53
25. 145 „ 150 „		7,750	339.67

(बी) पुनः परीक्षण के लिए उक्त के आधे प्रभार

(सी) निपटान प्रभार

(i) 500 कि. ग्रा. तक भार के मद

कोई निपटान प्रभार नहीं लगाये जायेंगे

(ii) 500 कि.ग्रा. से अधिक भार के मद

उक्त (ए) के परीक्षण प्रभारों के साथ अतिरिक्त 250 कि. ग्रा. (या उसका हिस्सा) के लिये 500 रु./29.76 अमरीकी डॉलर से प्रभार देय होंगे,

### परीक्षण गृह

### प्रभार अनुसूची

### भाग "सी"

### पुली ब्लॉक

खेन पुली ब्लॉक्स

(ए) खेन पुली ब्लॉक, स्पैन ब्लॉक, परचेस ब्लॉक, हील ब्लॉक, ब्लॉक, स्ट्रेच ब्लॉक, शीव ब्लॉक, मण्टियल शीव ब्लॉक, टोहिंग हुक आदि की जॉच, परीक्षण एवं स्टैपिंग के प्रभार

अनु क्र.	प्रूफ लोड	प्रभार रु.	प्रभार अमरीकी डॉलर में
1	2	3	4
1	एन तक	500	23.76
2	5 टन से अधिक 10 टन तक	750	35.63
3.	10 „ 15 „	1,000	47.51
4	15 „ 20 „	1,250	59.39
5	20 „ 25 „	1,500	71.26
6	25 „ 30 „	1,765	83.85
7.	30 „ 35 „	2,030	96.44
8.	35 „ 40 „	2,295	109.04
9.	40 „ 45 „	2,560	121.62
10.	45 „ 50 „	2,825	134.21
11.	50 „ 55 „	3,090	146.79
12.	55 „ 60 „	3,355	159.39

1	2	3	4
13.	60 „ 65 „	3,620	171.98
14.	65 „ 70 „	3,885	184.57
15.	70 „ 75 „	4,150	197.15
16.	75 „ 80 „	4,450	211.41
17.	80 „ 85 „	4,750	225.66
18.	85 „ 90 „	5,050	239.91
19.	90 „ 100 „	5,350	254.16
20.	100 „ 110 „	5,850	277.91
21.	110 „ 120 „	6,350	301.67
22.	120 „ 130 „	6,850	325.42
23.	130 „ 140 „	7,350	349.17
24.	140 „ 150 „	7,950	377.68

(बी) निपटान प्रभार।

(i) 500 कि. ग्रा. तक भार के मद

कोई निपटान प्रभार नहीं लगाये जायेंगे।

(ii) 500 कि.ग्रा. से अधिक भार के मद

उक्त (ए) के परीक्षण प्रभारों के साथ अतिरिक्त 250 कि. ग्रा. (या उसका हिस्सा) के लिये 500 रु. /29.76 अमरीकी डॉलर से प्रभार देय होंगे,

(सी) 15 मी. से अधिक लोड चेन के चेन ब्लॉक के मामले में प्रत्येक 15 मी. (या उसका हिस्सा) लंबाई के लिए 100% ज्यादा प्रभार लगाया जायेगा।

(डी) 30 टन पी.एल. के ऊपर की कोई भी वस्तु-ऐसी वस्तु से संबंधित कोई काम भेजने से पहले प्रेषक लुहारशाला एवं श्रृंखला परीक्षण गृह के अधीक्षक से संपर्क करें, और जिसका परीक्षण करता है उस वस्तु का ब्यौरा प्रस्तुत करें।

### परीक्षण गृह

### प्रभार अनुसूची

### भाग “डी”

### स्लिंग

एकल, बहुपाद श्रृंखला स्लिंग—वायर रोप स्लिंग आदि की अधिकतम 15 मी. या उसका हिस्सा-लंबाई का परीक्षण, जांच तथा (मोहर लगाने) का प्रभार श्रृंखला या वायर रोप के आकार को लागू प्रूफ (लोड) के प्रभार पर निर्भर होंगे।

अनुक्र.	प्रूफ लोड	एकपाद	द्विपाद	त्रिपाद	चौपाद	पंचपाद	छपाद
		रु. अमरीकी डॉलर	रु. अमरीकी डॉलर	रु. अमरीकी डॉलर	रु. अमरीकी डॉलर	रु. अमरीकी डॉलर	रु. अमरीकी डॉलर
1	2	3	4	5	6	7	8
1	5 टन तक	500.00	760.00	1020.00	1280.00	1540.00	1800.00
		23.76	36.11	48.46	60.81	73.16	85.52
2	5 टन से अधिक	630.00	890.00	1150.00	1410.00	1670.00	1930.00
	10 टन तक	29.93	42.29	54.64	66.99	79.34	91.69

1	2	3	4	5	6	7	8
3	10 टन से अधिक	760.00	1020.00	1280.00	1540.00	1800.00	2060.00
	15 टन तक	36.11	48.46	60.81	73.16	85.52	97.87
4	15 टन से अधिक	890.00	1150.00	1410.00	1670.00	1930.00	2190.00
	20 टन तक	42.29	54.64	66.99	79.34	91.69	104.04
5	20 टन से अधिक	1020.00	1280.00	1540.00	1800.00	2060.00	2320.00
	25 टन तक	48.46	60.81	73.16	85.52	97.87	110.22
6	25 टन से अधिक	1150.00	1410.00	1670.00	1930.00	2190.00	2450.00
	30 टन तक	54.64	66.99	79.34	91.69	104.04	116.39
7	30 टन से अधिक	1280.00	1540.00	1800.00	2060.00	2320.00	2580.00
	35 टन तक	60.81	73.16	85.52	97.87	110.22	122.57
8	35 टन से अधिक	1410.00	1670.00	1930.00	2190.00	2450.00	2710.00
	40 टन तक	66.99	79.34	91.69	104.04	116.39	128.75
9	40 टन से अधिक	1540.00	1800.00	2060.00	2380.00	2580.00	2840.00
	45 टन तक	73.16	85.52	97.87	110.22	122.57	134.92
10	45 टन से अधिक	1670.00	1930.00	2190.00	2450.00	2710.00	2970.00
	50 टन तक	79.34	91.69	104.04	116.39	128.75	141.10
11	50 टन से अधिक	1800.00	2060.00	2320.00	2580.00	2840.00	3100.00
	55 टन तक	85.52	97.87	110.22	122.57	134.92	147.27
12	55 टन से अधिक	1930.00	2190.00	2450.00	2710.00	2970.00	3230.00
	60 टन तक	91.69	104.04	116.39	128.75	141.10	153.45
13	60 टन से अधिक	2060.00	2320.00	2580.00	2840.00	3100.00	3360.00
	65 टन तक	97.87	110.22	122.57	134.92	147.27	159.62
14	65 टन से अधिक	2190.00	2450.00	2710.00	2970.00	3230.00	3490.00
	70 टन तक	104.04	116.39	128.75	141.10	153.45	165.80
15	70 टन से अधिक	2320.00	2580.00	2840.00	3100.00	3360.00	3620.00
	75 टन तक	110.22	122.57	134.92	147.27	159.63	171.98
16	75 टन से अधिक	2450.00	2710.00	2970.00	3230.00	3490.00	3750.00
	80 टन तक	116.39	128.75	141.10	153.45	165.80	178.15
17	80 टन से अधिक	2580.00	2840.00	3100.00	3360.00	3620.00	3880.00
	85 टन तक	122.57	134.92	147.27	159.63	171.98	184.33
18	85 टन से अधिक	2710.00	2970.00	3230.00	3490.00	3750.00	4010.00
	90 टन तक	128.75	141.10	153.45	165.80	178.15	190.50
19	90 टन से अधिक	2840.00	3100.00	3360.00	3620.00	3880.00	4140.00
	95 टन तक	134.92	147.27	159.62	171.98	184.33	196.68
20	95 टन से अधिक	2970.00	3230.00	3490.00	3750.00	4010.00	4270.00
	100 टन तक	141.10	153.45	165.80	178.15	190.50	202.86
21	100 टन से अधिक	3100.00	3360.00	3620.00	3880.00	4140.00	4400.00
	105 टन तक	147.27	159.63	171.98	194.33	196.68	209.03
22	105 टन से अधिक	3230.00	3490.00	3750.00	4010.00	4270.00	4530.00
	110 टन तक	153.45	165.80	178.15	190.50	202.86	215.21

1	2	3	4	5	6	7	8
23	110 टन से अधिक	3360.00	3620.00	3880.00	4140.00	4400.00	4660.00
	115 टन तक	159.63	171.98	184.33	196.68	209.03	221.38
24	115 टन से अधिक	3490.00	3750.00	4010.00	4270.00	4530.00	4790.00
	120 टन तक	165.90	178.15	190.50	202.86	215.21	227.57
25	120 टन से अधिक	3625.00	3885.00	4145.00	4405.00	4665.00	4925.00
	125 टन तक	172.21	184.57	196.92	209.27	222.57	233.97
26	125 टन से अधिक	3760.00	4020.00	4280.00	4540.00	4800.00	5060.00
	130 टन तक	178.63	190.98	203.33	215.68	228.03	240.39
27	130 टन से अधिक	3895.00	4155.00	4415.00	4675.00	4935.00	5195.00
	135 टन तक	195.05	197.39	209.74	222.10	234.45	246.80
28	135 टन से अधिक	4030.00	4290.00	4550.00	4810.00	5070.00	5330.00
	140 टन तक	191.45	203.81	216.16	228.51	240.86	253.21
29	140 टन से अधिक	4165.00	4425.00	4685.00	4945.00	5205.00	5465.00
	145 टन तक	197.87	210.22	222.37	234.92	247.27	259.62
30	145 टन से अधिक	4300.00	4560.00	4820.00	5080.00	5340.00	5600.00
	150 टन तक	204.28	216.63	228.98	241.34	253.69	266.04

टिप्पणी: (1) बहुत लम्बी स्लिंग का जॉच प्रभार संबंधित एकल स्लिंग के प्रभार के दुगुना होगा।

(2) 15 मी. लम्बाई से अधिक स्लिंग के लिए हर 15 मी. या उसका हिस्सा लम्बाई के लिए 100 प्रतिशत अतिरिक्त प्रभार देय होगा।

### परीक्षण गृह

### प्रभार अनुसूची

### भाग "ई"

### लिक एवं रिंगों का खेल्डिंग एवं प्रतिस्थापन

(ए) शॉर्ट लिंग और स्टड लिक (एम.एस.) के प्रभार		प्रभार			
अनुक्र.	परिमाण	शॉर्ट लिक		स्टड लिक	
		प्रति एक शॉर्ट लिक		प्रति एक स्टड लिक	
		रु.	अमरीकी डॉलर	रु.	अमरीकी डॉलर
1	12.70 मीमी. व्यास तक	400	19.01	500	23.76
2	12.70 मीमी. व्यास से अधिक 25.40 मीमी. व्यास तक	800	38.01	1,000	47.51
3	25.40 मीमी. व्यास से अधिक 38.10 मीमी. व्यास तक	1,600	76.01	1,900	90.27
4	38.10 मीमी. व्यास से अधिक 50.80 मीमी. व्यास तक	4,000	190.03	4,400	209.03
5	50.80 मीमी. व्यास से अधिक 63.50 मीमी. व्यास तक	5,850	277.01	6,350	301.67
6	63.50 मीमी. व्यास से अधिक 76.20 मीमी. व्यास तक	7,800	370.55	8,300	394.03
7	76.20 मीमी. व्यास से अधिक 88.90 मीमी. व्यास तक	9,750	463.19	10,250	486.94



## परीक्षण गृह

## प्रभार अनुसूची

## भाग "एफ"

## विविध प्रभार

(ए) प्रायोगिक परीक्षण या इस अनुसूची में न दिये गये अन्य गियर के परीक्षण के लिए प्रभार प्रति घंटा या उसका हिस्सा 500 रु. के लिए होंगे।

(बी) जब टन्सिल स्ट्रेन न लगाया हो, तो श्रृंखला की जाँच के प्रभार।

अनुक्रमांक	आकार	प्रभार रु.	प्रभार अमरीकी डालर	श्रृंखला की लंबाई
1	12.70 मीमी. व्यास लिंक तक	600	28.51	प्रति 30 मीटर या उसका हिस्सा लंबाई
2	12.70 मीमी. व्यास से अधिक 25.40 मीमी. व्यास लिंक तक	1,200	57.01	
3	25.40 मीमी. व्यास से अधिक 50.80 मीमी. व्यास लिंक तक	2,650	125.90	
4	50.80 मीमी. व्यास से अधिक 76.20 मीमी. व्यास लिंक तक	5,100	242.29	

(सी) जब टन्सिल स्ट्रेन न लगाया हो, तो श्रृंखला को छोड़कर अन्य उठान कांटा की जाँच के प्रभार प्रति भाग 50 रु./2.30 अमरीकी डॉलर होंगे।

(डी) (i) 650 श्रृंखला के तापानुशीलन, सामान्यकरण के प्रभार प्रति 10 कि.ग्रा. या उसका हिस्सा भार के लिए 70 रु./3.33 अमरीकी डॉलर होंगे।

(ii) 650 सेंटीग्रेड से ऊपर 1200 सेंटीग्रेड तक की श्रृंखला के तापानुशीलन, सामान्यकरण का प्रभार प्रति 10 किग्रा. या उसका हिस्सा-भार के लिए 100 रु./4.75 अमरीकी डॉलर होगा।

(इ) श्रृंखला की डिग्रीजिंग के प्रभार प्रति किलो या उसका हिस्सा-भार के लिए 10 रु./0.48 अमरीकी डॉलर होगा।

(एफ) परीक्षण गृह पर माल उतारने या खढ़ाने की जिम्मेदारी प्रेषक की होगी, तथापि सक्षम व्यक्ति को लिखित अनुरोध पर यह काम परीक्षण गृह द्वारा कराया गया, तो उसके प्रभार प्रति टन या उसका हिस्सा 500 रु. 23.76 अमरीकी डॉलर होगा।

(जी) अगर प्रतिनिधि/निरीक्षक/सर्वेक्षक की उपस्थिति में भार परीक्षण कराना हो, तो उसके लिए प्रति घंटा या उसका हिस्सा 300 रु./14.20 अमरीकी डॉलर प्रभार लगाया जाएगा।

(एन) अगर परीक्षण के दौरान किसी भाग/लिंक को बदलने/मरम्मत की आवश्यकता हुई, तो गियर की पुनः जाँच करनी पड़ेगी जिसके लिए संबंधित अनुसूची में दिखाये गये प्रभार के 50 प्रतिशत प्रभार लगाया जाएगा।

## परीक्षण गृह

## प्रभार अनुसूची

## भाग "जी"

## (I) अंकर परीक्षण

जाँच के लिए दरों की अनुसूची—टन्सिल स्ट्रेन तथा स्टैंपिंग अंकर लगाने के लिए

अनुक्रमांक	अंकर का भार रु.	प्रभार अमरीकी डॉलर	प्रभार
1	1/2 टन तक	4,000	190.03
2	1/2 टन से अधिक 1.00 टन तक	7,000	332.55
3	1 " " 1.5 " "	10,000	475.06
4	1.5 " " 2.00 " "	13,000	617.38
5	2.00 " " 2.5 " "	16,000	760.10
6	2.5 " " 3.00 " "	19,000	902.62

टिप्पणी : 3 टन भार के ऊपर हर अतिरिक्त 1/2 टन या उसका हिस्सा-भार के लिए 3000 रु./142.52 अमरीकी डॉलर प्रभार लगाया जाएगा।

## ( II ) अंकर रोप परीक्षण

जांच के लिए दरों की अनुसूची—झाप परीक्षण और स्टैंपिंग अंकर

अनुक्रमांक	अंकर का भार	प्रभार	प्रभार
		रु.	अमरीकी डॉलर
1	1/2 टन तक	4,000	190.03
2	1/2 टन से अधिक 1.00 टन तक	7,000	332.55
3	1 „ „ 1.5 „ „	10,000	475.06
4	1.5 „ „ 2.00 „ „	13,000	617.50
5	2.00 „ „ 2.5 „ „	16,000	760.10
6	2.5 „ „ 3.00 „ „	19,000	902.62

टिप्पणी : (I) 3 टन भार के ऊपर हर अतिरिक्त 1/2 टन या उसका हिस्सा-भार के लिए 3000 रु./142.52 अमरीकी डॉलर प्रभार लगाया जाएगा।

(II) काम भेजने से पहले प्रेपक परीक्षण किये जाने वाले अंकर के विवरण के सहित सक्षम व्यक्ति से संपर्क करें।

## परीक्षण गृह

## प्रभार अनुसूची

## भाग "एच"

## तुरंत काम के लिए प्रभार

- (ए) "तुरंत" काम के लिए अर्थात् परीक्षण गृह में गियर प्राप्त होने से 3 दिनों के अंदर काम शुरू करने के लिए 50% अतिरिक्त प्रभार लगाया जाएगा,
- (बी) "अति तत्काल" काम के लिए अर्थात् परीक्षण गृह में गियर प्राप्त होने से 24 घंटों के अंदर काम शुरू करने के लिए 100% अतिरिक्त प्रभार लगाया जाएगा।

टिप्पणी : उपरोक्त अग्रक्रम परीक्षण गृह की सुविधा के अनुसार ही स्वीकार किया जाएगा।

## परीक्षण गृह

## प्रभार अनुसूची

## भाग "आई"

## खारा पानी ( लवण जल ) परीक्षा

हर भारी लवण जल परीक्षा के लिए अगर आवश्यकता हो, तो 150 रु. प्रति 7.13 अमरीकी डॉलर अतिरिक्त प्रभार लगाया जाएगा। अगर यह परीक्षा कार्यशाला परिसर से बाहर करनी हो, तो यातायात की व्यवस्था ग्राहक द्वारा की जाएगी।

**THE TARIFF AUTHORITY FOR MAJOR PORTS  
NOTIFICATION**

New Delhi, the 16th January, 1998

**No. ADVT/III/IV/143/97.**—In exercise of the powers conferred by section 48 and section 49 of the Major Ports Trust Act, 1963 (38 of 1963), the Tariff Authority for Major Ports hereby amend the Scale of Rates as in the Schedule appended hereto.

S. SATHYAM, Chairman

**SCHEDULE**

Case No. 14012/14/96-PG/TAMP

The Mumbai Port Trust

.....

Applicant

**ORDER**

(Passed on this 3rd day of December, 1997)

This case relates to the proposal of the Mumbai Port Trust (MBPT) about revision of its Testing House Regulations and the Scale of Charges. These were last revised vide TR No. 85 of 9-3-1981 and became effective from 9-8-1985 after Government's sanction. The MBPT proposed to amend the Scale of Charges and Regulations in order to meet the increase in the Testing House costs as well as wages. These charges are not of a major revenue generating category and the income of the Testing House is dependent on requests received from applicants. The upward revision is not likely to have any adverse effect on utilisation of the services of the Testing House.

2. The case under review is not of a major revenue earning nature. The income from this case is less than 0.003% of the total earnings of the MBPT. The Board of the MBPT has unanimously approved the revision after 13 years of operation of the old rates. There is no adverse reaction to the enhancement proposed. Accordingly, the Mumbai Port Trust's proposal for revision of its Testing House Regulations and the Scale of Charges is hereby approved by this Authority.

3. The details of the revision are set out in the statement attached as Annex-1

Annex-1

**Mumbai Port Trust Testing House (Amendment)  
Regulations & Schedule of Charges, 1997**

- (i) These regulations may be called the Mumbai Port Trust Testing House (Amendment) Regulations and Schedule of Charges, 1997.
- (ii) They shall come into force on the date of publication in the Official Gazette thereto is published in the Official Gazette.

In Mumbai Port Trust Testing House Regulations and Scale of Charges 1982 (hereinafter referred to as Principal Regulations), the following amendments shall be made, namely :—

- (i) In the principal regulations, for regulation 2, the following clause shall be substituted namely :—
- (a) For clause (a), the following clause shall be substituted namely :—  
 'Competent Person' means a person appointed by the Board of Trustees of the Port of Mumbai with the sanction of the Central Government under Regulation 2 (b) of the Dock Workers' (Safety, Health & Welfare) Regulations, 1990.
- (1) For Clause (b), the following clause shall be substituted, namely :—  
 "D.W. (S.H. & W.) Regulations, 1990 means the Dock Workers (Safety, Health & Welfare) Regulations, 1990 and all subsequent amendments thereto".
- (2) For Clause (g), the following clause shall be substituted, namely :—  
 "Words and expressions used herein and not defined but defined in the Major Port Trust Act, 1963 or the Docks Workers (Safety, Health & Welfare) Regulations, 1990 shall have the meanings respectively assigned to them in the said Act or regulations".

- (ii) In the Principal regulations, for regulation 6 (b) the following regulation shall be substituted, namely :—  
 (b) If any gear is not removed within ten working days after completion of the jobs, the sender shall be charged thereafter a storage rent at the rate of Rs. 10/US \$ 0.48 per week or part thereof for each article. Anchors, Anchor cables and other similar large articles will be charged at Rs. 20/US \$ .96 per tonne weight per week or part thereof.
- (iii) In the principal regulations for regulation 10, the following regulation shall be substituted namely—  
 “10(a) Certificates in forms prescribed under D.W. (S.H. & W.) Regulations, 1990 will be issued by the Competent Person in respect of only those items of lifting tackle which have passed the test and in no case shall a certificate in which any alteration, correction or erasure shall have been made be valid unless all the corrections are duly initialled by the Competent Person.  
 (b) Duplicate Certificates or extra copies will be granted on written application to the Competent Person on payment of Rs. 10/US \$ .48 per copy.”
- (iv) In the principal regulations, for regulation 11, the following regulation shall be substituted, namely—  
 “11. No certificate shall be granted for any lifting tackle that has not stood the strain without injury or which does not confirm to the relevant specifications prescribed under D.W. (S.H. & W.) Regulations, 1990.”
- (v) In the principal regulations, for regulation 16, the following regulation shall be substituted namely :  
 “16. In the case of a new chain or chain sling which has not been previously tested, the following procedure will be adopted for determining the safe working load.  
 The chain will be carefully gauged and a length not less than 80 cms. In every piece or every length as per standard specifications shall be tested to destruction. If the breaking strain of this sample is not less than breaking strain under the standard specifications corresponding to the actual gauge of thinnest link of the chain, the rest of the chain will be subjected to the proof load corresponding to the actual gauge. If the breaking strain of the sample is less than the breaking strain under the standard specifications, corresponding to the actual gauge of the chain, it shall be rejected. No chain shall be taken for testing which the wear of anyone link is more than the specified limit in various relevant testing Regulations (viz. D.W. (S.H. & W.) Regulation, 1990, ISI, MMD, Lloyd's etc.). In such cases charges for visual inspection only as prescribed under the schedule of charges shall be levied.”
- (vi) In the principal regulations, for regulation 17, the following regulation shall be substituted, namely—  
 “17. The conducting of any experiments or the testing of any gear other than the gear required to be tested under the provisions of the D.W. (S.H. & W.) Regulation, 1990 shall not be permitted to interfere prejudicially with the normal working of the testing House”.
- (vii) In the principal regulations for regulation 19, following regulation shall be substituted namely :—  
 “19. If the sender wishes to get the gear tested in his presence or in presences of his representative Rs. 300/US \$ 14.28 per hour or part thereof will be charged extra over the schedule of charges hereunder For this purpose, the sender shall take an appointment atleast 3 days in advance”.
- (viii) In the principal regulations after regulation 20, the following regulation no. 21 and 22 shall be added, namely—  
 “21. The competent person of the Chain Test House shall be paid honorarium 2% of testing charges recovered from outside parties for every job”.  
 “22. In case of jobs undertaken for Masters or Owners or agents or Charterers of foreign going vessels the charges prescribed in US \$ shall be levied”.
- (ix) For the existing testing House Scale of charges appended to the regulations, the following shall be substituted.

TESTING HOUSE  
 SCHEDULE OF CHARGES  
 SECTION 'A'  
 CHAINS AND ROPES

(I) CHAINS :

(i) Schedule of rates for examination—applying tensile strain and stamping one length not over 30 metres or part thereof to short link and stud link chain, wire ropes, fibre ropes, etc. and all other destruction test will be charged according to Schedule as under :

Sr. No.	Proof Load	Charges Rs.	Charges US \$	Length of Chain
1	Upto 10 tonnes	1,300	61.76	Per 30 metres length or
2	Over 10 tonnes upto 20 tonnes	1,750	83.14	part thereof
3	" 20 " " 30 "	2,200	104.53	"
4	" 30 " " 40 "	2,650	125.90	"
5	" 40 " " 50 "	3,150	149.65	"
6	" 50 " " 60 "	3,650	173.40	"
7	" 60 " " 70 "	4,150	197.15	"
8	" 70 " " 80 "	4,650	220.91	"
9	" 80 " " 90 "	5,150	244.66	"
10	" 90 " " 100 "	5,650	368.41	"
11	" 100 " " 110 "	6,250	296.92	"
12	" 110 " " 120 "	6,850	325.42	"
13	" 120 " " 130 "	7,450	353.92	"
14	" 130 " " 140 "	8,050	382.43	"
15	" 140 " " 150 "	8,650	410.93	"

(ii) Charges for applying breaking strain to 3 metres sample in each 30 metres for short link and stud link chain will be as above on actual strain applied.

(II) ROPES :

(i) Wire Ropes : Experimental Testing

(a) Charges for applying breaking strain to wire rope sample, minimum 1 metre length, will be as above, i.e. Section 'A' (I) Chains (i) Charges on actual strain applied plus Rs. 2000/US \$ 95.02 extra for capping upto 3" dia. wire rope.

(b) Charges for examining wire ropes, wire rope sling, etc, will be at Rs. 150/US \$ 7.13 per one metre length

(ii) Fibre ropes :

Charges for applying breaking strain to fibre rope sample, minimum 1 metre in length, will be as above viz. Section 'A' (I) Chains (i) on actual strain applied.

NOTE : The testing machine is not normally used for carrying out destruction test for the materials with unusual elongation, such as, synthetic fibre ropes etc., however, if the tests are carried out the charges will be as above on each test separately on actual load applied on each occasion.

TESTING HOUSE  
SCHEDULE OF CHARGES  
SECTION 'B'  
LIFTING GEAR

(a) Charges for Testing and stamping each shackle, hook ramshorn hook, ring, triangular plate grab, eye bolt, coupling etc.

Sr. No.	Proof Load	Charges Rs.	Charges US \$
1	Upto 5 tonnes	125	5.94
2	Over 5 tonnes upto 10 tonnes	150	7.13
3	" 10 " " 15 "	175	8.32
4	" 15 " " 20 "	200	9.51
5	" 20 " " 25 "	225	10.69
6	" 25 " " 30 "	340	16.16
7	" 30 " " 35 "	455	21.62

139/ 61/98-3

Sr. No	Proof Load					Charges Rs.	Charges US \$
8.	Over 35	"	"	40	tonnes	570	27.08
9.	"	40	"	"	45 "	685	32.55
10.	"	45	"	"	50 "	800	38.01
11.	"	30	"	"	60 "	1,180	36.07
12.	"	60	"	"	70 "	1,560	74.11
13.	"	70	"	"	80 "	1,940	92.17
14.	"	80	"	"	90 "	2,320	110.22
15.	"	90	"	"	100 "	2,700	128.27
16.	"	100	"	"	105 "	3,145	149.41
17.	"	105	"	"	110 "	3,590	170.55
18.	"	110	"	"	115 "	4,035	191.69
19.	"	115	"	"	120 "	4,480	212.83
20.	"	120	"	"	125 "	4,925	233.97
21.	"	125	"	"	130 "	5,370	255.11
22.	"	130	"	"	135 "	3,815	276.25
23.	"	135	"	"	140 "	6,260	297.39
24.	"	140	"	"	145 "	6,705	318.53
25.	"	145	"	"	150 "	7,150	339.67

(b) For re-testing half the above charges

(c) Handling Charges :

(i) Item weighing upto 500 kgs.

no handling charges will be levied

(ii) Item weighing over 500 kgs.

for every additional weight of 250 kgs.

or part thereof Rs. 500/US \$ 23.76 will be

charges in addition to the testing charges

as in (a) above.

TESTING HOUSE  
SCHEDULE OF CHARGES  
SECTION 'C'  
FULLEY BLOCKS

CHAIN FULLEY HLOCKS

(a) Charges for examining Testing and stamping of chain pulley block, span block, purchase block, heel block, slowing block, stretch block, sheave block, multiple sheave block, Towing Hook etc.

Sr. No.	Proof Load					Charges Rs.	Charges US \$
1	Upto 5 tonnes					500	23.76
2	Over 5 tonnes upto	10 tonnes				750	35.63
3	"	10	"	"	15 "	1,000	47.51
4.	"	15	"	"	20 "	1,250	59.39
5.	"	20	"	"	25 "	1,500	71.26
6.	"	25	"	"	30 "	1,765	83.85
7.	"	30	"	"	35 "	2,030	96.44

Sr. No.	Proof Load						Charges Rs.	Charges US \$
8.	"	35	"	"	40	"	2,295	109.04
9.	"	40	"	"	45	"	2,560	121.62
10.	"	45	"	"	50	"	2,825	134.21
11.	"	50	"	"	55	"	3,090	146.79
12.	"	55	"	"	60	"	3,355	159.39
13.	"	60	"	"	65	"	3,620	171.98
14.	"	65	"	"	70	"	3,885	184.57
15.	"	70	"	"	75	"	4,150	197.15
16.	"	75	"	"	80	"	4,450	211.41
17.	"	80	"	"	85	"	4,750	225.66
18.	"	85	"	"	90	"	5,050	239.91
19.	"	90	"	"	100	"	5,350	254.16
20.	"	100	"	"	110	"	5,850	277.91
21.	"	110	"	"	120	"	6,350	301.67
22.	"	120	"	"	130	"	6,850	325.42
23.	"	130	"	"	140	"	7,350	349.17
24.	"	140	"	"	150	"	7,950	377.68

**(b) Handling Charges :**

- (i) Item weighing upto 500 Kgs.  
no handling charges will be levied
- (ii) Item weighing over 500 Kgs. for every  
additional weight of 250 Kgs. or part  
thereof Rs. 500/US \$ 23.76 will be charged  
in addition to the testing charges as in  
(a) above.
- (c) In case of chain block with load chains over  
15 Metres will be charged 100% extra for each  
multiple of 15 metres length or part thereof.
- (d) Any year over 30 tonnes P.L.—Sender should  
contact the Superintendent, Blacksmith Shop  
and Chain Test House with details of gear to  
be tested before sending the jobs.

TESTING HOUSE  
SCHEDULE OF CHARGES  
SECTION 'D'  
SLINGS

Charges for examining, testing and stamping of single, mutiple legged chain sling-wire rope wiling etc. not over 15 metres length or part thereof will be charged on the proof load admissible on the size of the chain or wire rope

Sl. No.	Proof Load		Single	Two Legged	Three Legged	Fourm Legged	Five Legged	Six Legged
			Rs. US \$	Rs. US \$	Rs. US \$	Rs. US \$	Rs. US \$	Rs. US \$
1	Upto	5 tonnes	500.00	760.00	1020.00	1280.00	1540.00	1800.00
			23.76	36.11	48.46	60.81	73.16	85.52
2	Over	5 tonnes	630.00	890.00	1150.00	1410.00	1670.00	1930.00
	Upto	10 tonnes	29.93	42.29	54.64	66.99	79.34	91.69
3	Over	10 tonnes	760.00	1030.00	1280.00	1540.00	1800.00	2060.00
	Upto	15 tonnes	36.11	48.46	60.81	73.16	85.52	97.87
4	Over	15 tonnes	890.00	1150.00	1410.00	1670.00	1930.00	2190.00
	Upto	20 tonnes	42.29	54.64	66.99	79.34	91.69	104.04
5	Over	20 tonnes	1020.00	1280.00	1540.00	1800.00	2060.00	2320.00
	Upto	25 tonnes	48.46	60.81	73.16	85.52	97.87	110.22
6	Over	25 tonnes	1150.00	1410.00	1670.00	1930.00	2190.00	2450.00
	Upto	30 tonnes	54.64	66.99	79.34	91.69	104.04	116.39
7	Over	30 tonnes	1280.00	1540.00	1800.00	2060.00	2320.00	2580.00
	Upto	35 tonnes	60.81	73.16	85.52	97.87	110.22	122.57
8	Over	35 tonnes	1410.00	1670.00	1930.00	2190.00	2450.00	2710.00
	Upto	40 tonnes	66.99	79.34	91.69	104.04	116.39	128.75
9	Over	40 tonnes	1540.00	1800.00	2060.00	2320.00	2580.00	2840.00
	Upto	45 tonnes	73.16	85.52	97.87	110.22	122.57	134.92
10	Over	45 tonnes	1670.00	1930.00	2190.00	2450.00	2710.00	2970.00
	Upto	50 tonnes	79.34	91.69	104.04	116.39	128.75	141.10
11	Over	50 tonnes	1800.00	2060.00	2320.00	2580.00	2840.00	3100.00
	Upto	55 tonnes	85.52	97.87	110.22	122.57	134.92	147.27
12	Over	55 tonnes	1930.00	2190.00	2450.00	2710.00	2970.00	3230.00
	Upto	60 tonnes	91.69	104.04	116.39	128.75	141.10	153.45
13	Over	60 tonnes	2060.00	2320.00	2580.00	2840.00	3100.00	3360.00
	Upto	65 tonnes	97.87	110.22	122.57	134.92	146.27	159.62
14	Over	65 tonnes	2190.00	2450.00	2710.00	2970.00	3230.00	3390.00
	Upto	70 tonnes	104.04	116.39	128.75	141.10	153.45	165.80
15	Over	70 tonnes	2320.00	2580.00	2840.00	3100.00	3360.00	3620.00
	Upto	75 tonnes	110.22	122.57	134.92	147.27	159.63	171.98
16	Over	75 tonnes	2450.00	2710.00	2970.00	3230.00	3490.00	3750.00
	Upto	80 tonnes	116.39	128.75	141.10	153.45	165.80	178.15
17	Over	80 tonnes	2580.00	2840.00	3100.00	3360.00	3620.00	3880.00
	Upto	85 tonnes	122.57	134.92	147.27	159.63	171.98	184.33
18	Over	85 tonnes	2710.00	2970.00	3230.00	3490.00	3750.00	4010.00
	Upto	90 tonnes	128.75	141.10	153.45	165.80	178.15	190.50



Sl. No.	Proof Load	Single	Two Legged	Three Legged	Four Legged	Five Legged	Six Legged
		Rs. US \$	Rs. US \$	Rs. US \$	Rs. US \$	Rs. US \$	Rs. US \$
19	Over 90 tonnes	2840.00	3100.00	3360.00	3620.00	3880.00	4140.00
	Upto 95 tonnes	134.92	147.27	159.62	171.98	184.33	196.68
20	Over 95 tonnes	2970.00	3230.00	3490.00	3750.00	4010.00	4270.00
	Upto 100 tonnes	141.10	153.45	165.80	178.15	190.50	202.86
21	Over 100 tonnes	3100.00	3360.00	3630.00	3880.00	4140.00	4400.00
	Upto 105 tonnes	147.27	159.63	171.98	184.33	196.68	209.03
22	Over 105 tonnes	3230.00	3490.00	3750.00	4010.00	4270.00	4530.00
	Upto 110 tonnes	153.45	165.80	178.15	190.50	202.86	215.21
23	Over 110 tonnes	3360.00	3620.00	3880.00	4140.00	4400.00	4660.00
	Upto 115 tonnes	159.63	171.98	184.33	196.68	209.03	221.38
24	Over 115 tonnes	3490.00	3750.00	4010.00	4270.00	4530.00	4790.00
	Upto 120 tonnes	165.80	178.15	190.50	202.86	215.21	227.57
25	Over 120 tonnes	3625.00	3885.00	4145.00	4405.00	4665.00	4925.00
	Upto 125 tonnes	172.21	184.57	196.92	209.27	222.57	233.97
26	Over 125 tonnes	3760.00	4020.00	4280.00	4540.00	4800.00	5060.00
	Upto 130 tonnes	178.63	190.98	203.33	215.68	228.03	240.39
27	Over 130 tonnes	3895.00	4155.00	4415.00	4675.00	4935.00	5195.00
	Upto 135 tonnes	185.05	197.39	209.74	222.10	234.45	246.80
28	Over 135 tonnes	4030.00	4290.00	4550.00	4810.00	5070.00	5330.00
	Upto 140 tonnes	191.45	203.81	216.16	228.51	240.86	253.21
29	Over 140 tonnes	4165.00	4425.00	4685.00	4945.00	5205.00	5465.00
	Upto 145 tonnes	197.87	210.22	222.57	234.92	247.27	259.62
30	Over 145 tonnes	4300.00	4560.00	4820.00	5080.00	5340.00	5600.00
		204.28	216.63	228.98	241.34	253.69	266.04

NOTE : (1) Endless sling testing charges will be 2 times the charges of the corresponding single sling.

(2) For sling over 15 metres length, it will be charged 100% extra for each multiple of 15 metres and part thereof.

TESTING HOUSE  
SCHEDULE OF CHARGES

SECTION 'E'

WELDING AND REPLACING LINKS AND RINGS

(a) Charges for providing short links and stud links (m.s.)

Sr. No.	Size	CHARGES			
		SHORT LINK Per one short link		STUD LINK Per one stud link	
		Rs.	US \$	Rs.	US \$
1	Upto 12.70 mm dia.	400	19.01	500	23.76
2	Over 12.70 mm dia. upto 25.40 mm dia.	800	38.01	1,000	47.51
3	Over 25.40 mm dia. upto 38.10 mm dia.	1,600	76.01	1,900	90.27
4	Over 38.10 mm dia. upto 50.80 mm dia.	4,000	190.03	4,400	209.03
5	Over 50.80 mm dia. upto 63.50 mm dia.	5,850	277.81	6,350	301.67
6	Over 63.50 mm dia. upto 76.20 mm dia.	7,800	370.55	8,300	394.30
7	Over 76.20 mm dia. upto 88.90 mm dia.	9,750	463.19	10,250	486.94

TESTING HOUSE  
SCHEDULE OF CHARGES  
SECTION 'F'  
SUNDRY CHARGES

(a) Charges for conducting experimental testing or for testing gears not otherwise provided for in this schedule at Rs. 500 for every hour or part thereof.

(b) Charges for examining chain when no tensile strain is applied.

Sr. No.	Size	Charges Rs.	Charges US \$	Length of Chain
1	Upto 12.70 mm dia. link	800	28.51	Per length of 30 metres
2	Over 12.70 mm dia. upto 25.40 mm dia link	1,200	57.01	part thereof
3	Over 25.40 mm dia. upto 50.80 mm dia. link	2,650	125.80	
4	50.80 mm dia. upto 78.20 mm dia link	5,100	242.29	

(c) Charges for examining lifting tackle other than chains when no tensile strain is applied, Rs. 50/US \$ 2.38 per piece.

(d) (i) Annealing normalising chains upto 650 °C at Rs. 70/US \$ 3.33 per 10 Kgs. weight or part thereof; or

(ii) Annealing, normalising chains over 850 °C upto 1200 °C at Rs. 100/US \$ 4.75 per 10 Kgs. weight or part thereof.

(e) Degreasing chains at Rs. 10/US \$ 0.48 per Kg. weight or part thereof.

(f) Unloading or loading of gears at the Test House will be the sender's responsibility. However, if carried out by the Testing House on written request to the competent person will be charged Rs. 500/US \$ 23.76 for each tonne or part thereof.

(g) If it is desired that load testing is to be carried out in the presence of the representative/Inspector/Surveyor, charges at Rs. 300/US \$ 14.28 per hour or part thereof will be levied.

(h) In the event of any part/link found required to be renewed/repaired during the test, the gear shall have to be re-tested for which 50% of the charges as indicated in relevant schedules will be levied.

TESTING HOUSE  
SCHEDULE OF CHARGES  
SECTION 'G'

(I) ANCHOR TESTING

Schedule of rates for examination—applying tensile strain and stamping anchor.

Sr. No.	Weight of the anchor	Charges Rs.	Charges US \$
1	Upto 1/2 tonne	4,000	190.03
2	Over 1/2 tonne upto 1.00 tonne	7,000	332.55
3	1 " " 1.05 "	10,000	475.06
4	1.5 " " 2.00 "	13,000	617.58
5	2.00 " " 2.5 "	16,000	760.10
6	2.5 " " 3.00 "	19,000	902.82

NOTE : Over 3 tonnes weight, for every additional weight of 1/2 tonne or part thereof at Rs. 3000/US \$ 142.52 will be charged.

## (II) ANCHOR DROP TEST

Schedule of rates for examination—drop test and stamping anchor.

Sr. No.	Weight of the anchor	Charges Rs	Charges US \$
1	Upto 1/2 tonne	4,000	190.03
2	Over 1/2 tonne upto 1.00 tonne	7,000	332.55
3	„ 1 „ „ 1.05 „	10,000	475.06
4	„ 1.5 „ „ 2.00 „	13,000	617.58
5	„ 2.00 „ „ 2.5 „	18,000	780.10
6	„ 2.5 „ „ 3.00 „	19,000	902.62

NOTE : (i) Over 3 tonnes weight, for every additional weight of 1/2 tonne or part thereof at Rs. 3000/US \$ 142.52 will be charged.

(ii) Sender should contract the “competent person” with details of anchors to be tested before sending the jobs.

## TESTING HOUSE

## SCHEDULE OF CHARGES

## SECTION ‘H’

## CHARGES FOR URGENT WORK

- (a) For jobs marked ‘URGENT’ i.e. for works to be taken in hand within 3 days of the receipt of the gear at the Testing House 50% excess charges will be levied.
- (b) For jobs marked ‘MOST URGENT’ i.e. for works to be taken in hand within 24 hours of the receipt of the gear at the Testing House 100% excess charges will be levied.

NOTE : Above priority works will be accepted only at the convenience of the Testing House.

## TESTING HOUSE

## SCHEDULE OF CHARGES

## SECTION ‘I’

## BRINELL HARDNESS TEST

For each brinell hardness test, if required Rs. 150/US \$ 7.13 will be charged extra. In case the test is to be carried out outside the workshops premises to and fro transport shall be made available by client only.

